

**APPLICATION FOR PERMIT  
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA**

Date of filing in State Engineer's Office. NOV 8 1989

Returned to applicant for correction \_\_\_\_\_

Corrected application filed \_\_\_\_\_

Map filed. NOV 8 1989

The applicant Jerry Llamas

1021 James Lane, of Fallon,  
Street and No. or P.O. Box No. City or Town

Nevada 89406, hereby make application for permission to appropriate the public  
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is Underground  
Name of stream, lake, spring, underground or other source

2. The amount of water applied for is .09 second-feet  
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet \_\_\_\_\_

3. The water to be used for Commercial & Domestic  
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated \_\_\_\_\_

(b) Stockwater, state number and kinds of animals to be watered \_\_\_\_\_

(c) Other use (describe fully under "No. 12. Remarks") \_\_\_\_\_

(d) Power:

(1) Horsepower developed \_\_\_\_\_

(2) Point of return of water to stream \_\_\_\_\_

5. The water is to be diverted from its source at the following point in the NE 1/4-NE 1/4 of of Sec. 35, T. 19  
Describe as being within a 40-acre subdivision of public

N., R. 28 E., M.D.B. & M. From a Point that bears N 53°49'20"E a distance of 1276.30'  
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.

to the NE cor. of said Sec. 35.

6. Place of use 1.00 Ac. located in the NE 1/4-NE 1/4 Sec. 35, T. 19 N., R. 28 E., M.D.B. & M.  
Describe by legal subdivision. If on unsurveyed land, it should be so stated.

7. Use will begin about Jan. 1 and end about Dec. 31, of each year.  
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Well, pump house, and distribution system  
State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with pump and motor, etc.  
to be used in a commercial nursery.

9. Estimated cost of works \$10,000

10. Estimated time required to construct works..... 2 years  
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use..... 3 years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Compared..... pm/ se ..... bp/ct

Protested.....

s/Barry A. Fitzpatrick  
By..... Barry A. Fitzpatrick SWRS 817  
141 Industrial Way  
Fallon , Nevada 89406

..... APPROVAL ..... OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The well must be sealed with cement grout, concrete grout or neat cement from ground level to 100 feet.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is issued under the provisions of NRS 534.120(2) as a preferred use. The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to

exceed..... 0.09 ..... cubic feet per second, but not to exceed 2.0 acre feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before..... August 16, 1991

Proof of completion of work shall be filed on or before..... September 16, 1991

Application of water to beneficial use shall be made on or before..... August 16, 1993

Proof of the application of water to beneficial use shall be filed on or before..... September 16, 1993

Map in support of proof of beneficial use shall be filed on or before..... N/A

Completion of work filed..... NOV 15 1991..... IN TESTIMONY WHEREOF, I R. MICHAEL TURNIPSEED, P.E.

Proof of beneficial use filed..... OCT 14 2002..... State Engineer of Nevada, have hereunto set my hand and the seal of my

Cultural map filed..... office, this 16th day of August

Certificate No. 16267, Issued DEC 23 2003 A.D. 19 90

BY: Christine Thiel, P.E. State Engineer  
Chief, Office Engineering Section